



**AZZA**  
ONE VISION. ONE MISSION

GAMING CASE

[www.azzatek.com](http://www.azzatek.com)



[www.azzatek.com](http://www.azzatek.com)

**AZZA**<sup>TM</sup>  
ONE VISION. ONE MISSION

#### U.S.A/PAN AMERICAS

AZZA (USA) Technology Inc.  
2700 Saturn Street, unit B Brea CA 92821 USA  
E-mail: [service@azzatek.com](mailto:service@azzatek.com)  
E-mail: [sales@azzatek.com](mailto:sales@azzatek.com)  
E-mail: [support@linkworld8.com](mailto:support@linkworld8.com)

#### EUROPE

Otto-Schott-Str. 4, 41542 Dormagen, Germany  
E-mail: [info@linkworldcomputer.de](mailto:info@linkworldcomputer.de)

#### ASIA

9FL., No. 13, Lane 35, Jihu Rd., Neihu Dist., Taipei 114, Taiwan.  
E-mail: [support@linkworld.com.tw](mailto:support@linkworld.com.tw)

Blk 135, #08-491 Bukit Batok West Ave 6 Singapore 650135  
E-mail: [support@linkworld.com.sg](mailto:support@linkworld.com.sg)

700/60 Moo 1 Amata Nakorn Industrial Bangna-Trad KM 57  
Tambol Bankao Amphur Phanthong Chonburi 20160  
E-mail: [support@linkworld.co.th](mailto:support@linkworld.co.th)

contents

Innovative Case

OPTIMA 803 .....02

CUBE 802 .....04

RAGNAROK 801.....06

Full Tower

TAUROS 5000/W .....08

STORM 6000B/W .....10

ZIRCON 7000 .....12

Mid Tower

APOLLO 430 .....14

RAVEN 420 .....16

CHROMA 410A .....18

CHROMA 410B .....20

OBSIDIAN 270 .....22

TITAN 240 .....24

PHOTIOS 250 .....26

ONYX 260 .....28

ARC 241 .....30

BLAZE 231 .....32

CRIMSON 211.....34

GOLEM 221 .....36

INFERNO 310DH .....38

THOR 320DH .....40

INFERNO 310 .....42

THOR 320 .....44

IRIS 330 .....46

Mini ITX

Z 103 .....48

LUMINOUS 110 .....50

Fan

HURRICANE II .....52

PRISMA .....53

HURRICANE RGB .....54

Power Supply

500W .....55


650W .....56

650W RGB .....57






Right



■ Supports 2.5" SSD x 4 ( A B C D )








Left



■ Supports 2.5" SSD x 2 ( E F )  
■ Supports 3.5" HDD x 2 ( G )




Model	
Model Name	OPTIMA 803
Model Number	CSAZ-803
Specifications	
Type	ATX Mid Tower
Color	Black (exterior)/Black (interior)
Side Panel Window	Left · Right · Top side of panel : Tempered glass with rubber mounts
	Top & Front side of panel : Aluminum plate and Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 150mm
Max video Card Length	Up to 320mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX
Expansion	
External 5.25" Drive Bays	0
Internal 2.5" Drive Bays	Up to 6
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Top Ports	Power button
Cooling System	
Digital RGB Light Effects	All digital RGB light strips are controlled by RF remote. Standard configuration has an RF connector and a remote controller. If the motherboard has the WS2812B Individually Addressable RGB LED strip 5V connector, Digital RGB light devices can be connected with motherboard instead of the RF connector.
Features	
Tempered Glass on Four Sides Window	High-quality tempered glass side window allows for clear visuals to inner components Video card can be viewed from front.
Available Fan Ports	2x120mm fan ports in the rear (2xHurricane II Digital RGB Fan included) 2x120mm fan ports on the bottom
Water Cooling	Supports radiators up to 240mm in the bottom and rear.
Power Supply Support	Bottom mounted ATX Power Supply
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Accessories	1xDigital RGB RF Remote 1x Designed Case Stand
Physical Specs	
Metal Chassis Dimensions (HxWxD)	422x301x419 mm /16.6x11.9x16.5 ( inches)
Dimension with Case Stand (HxWxD)	480x301x492mm /18.9x11.9x19.4 ( inches)
Weight	11.3kg /25lb
Carton Size (H x W x D)	415x540x540mm / 16.3x21.3x21.3 ( inches)



2.5" SSD

3.5" HDD

■ Supports up to 280mm long video cards.



or



■ Supports 2.5" SSD x 2 ( A B )

■ Supports 3.5" HDD x 1 ( C )


<b>Model</b>	
Model Name	CUBE 802
Model Number	CSAZ-802M / CSAZ-802MF
<b>Specifications</b>	
Type	ATX - ITX Full Tower
Color	Black (exterior)/Black (interior)
Case Material	0.6~1.5mm SPCC
Side Panel Window	Left - Right - Top side of panel : Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 165mm
Max video Card Length	Up to 280mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX - Micro ATX - Mini ITX
<b>Expansion</b>	
External 5.25" Drive Bays	0
Internal 2.5" Drive Bays	Up to 2
Internal 3.5" Drive Bays	1
Expansion slots	7
<b>Light Effects</b>	
Digital RGB Light Effects (both variants come with digital RGB light strips)	All digital RGB light strips are controlled by RF remote. For model CSAZ-802MF, up to 5 digital RGB fans can be controlled by the motherboard. For model CSAZ-802MF, please plug all digital RGB fans into an RGB 5V connector on a WS2812B-compliant motherboard. The digital RGB fans can then be controlled using the motherboard's native lighting control software. If you do not have a WS2812B-compliant motherboard that supports digital RGB lights, then you can connect the digital RGB fans into the included RF receiver instead, and control them using the included RF controller. To prevent the connector on a WS2812B motherboard or the RF receiver from shorting out, please do not daisy-chain more than 5 digital RGB fans together.
<b>Features</b>	
Tempered Glass on Three Sides Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	4x120mm ports in the front
	(4xHurricane II Digital RGB Fan included for model CSAZ-802MF only)
	1x120mm port in the rear (1xHurricane II Digital RGB Fan included for model CSAZ-802MF only)
Water Cooling	Supports radiators up to 240mm in the front
Isolated Chamber	Dual-chamber design. Power Supply is housed in one of the chamber bottoms, preventing its heat from affecting other components. Supports the Power Supply up to 190mm in length.
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Accessories	1x RF Connector
	1x RF Remote Controller 1x Designed Case Stand
<b>Physical Specs</b>	
Metal Chassis Dimensions (HxWxD)	350x350x350mm / 13.8x13.8x13.8 ( inches )
Dimension with Case Stand (HxWxD)	693x500x514mm / 23.3x19.7x20.2 ( inches )
Weight	13.7kg/30.2lb
Carton Size (H x W x D)	512x517x736mm / 20.2x20.4x29 ( inches )

# RAGNAROK 801



## Innovative Case



### Right View




■ Supports up to 400mm long video cards.




# RAGNAROK 801

Model	
Model Name	RAGNAROK 801
Model Number	CSAZ-801
Specifications	
Type	E-ATX, ATX, Mini ITX, XL-ATX, Dual System
Color	Black (exterior)/Black (interior)
Side Panel Window	Left · Right · Top side of panel : Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 175mm
Max video Card Length	Up to 400mm long video card
Power Supply	Not included, supports dual power supplies
Motherboard Compatibility	E-ATX · ATX · Micro ATX · Mini ITX · XL-ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 4
Internal 3.5" Drive Bays	Up to 4
Expansion slots	10
Top Ports	2 x USB 3.0, 2 x USB 2.0, HD Audio
Features	
Front Panel	Aluminum plate
Tempered Glass Windows On Three Sides	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	4x120mm or 3x140mm ports on the top
	3x120mm or 2x140mm ports in the front
	4x120mm or 3x140mm ports on the bottom
	1x120mm or 1x140mm Fan port in the rear
Dual System Mode	Mini-ITX & ATX
Water Cooling	Supports radiators up 280-420mm on top/240-360mm in front/240mm on the bottom.
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specs	
Dimensions(HxVxD)	630mmx300mmx655mm / 24.8 x11.8 x 25.8( inches)
Weight	21.5kg / 47.4 lb
Carton Size (H x W x D)	400x740x740mm / 15.8x29.1x29.1( inches)







▪ 6 colors RGB LED lights lining the side window.





- Removable Modularized HDD Cage.
- Supports 8 x HDD 3.5" and SSD 2.5" Drive Bays.



- Support 80mm / 90mm Fan to Install over HDD 3.5" and SSD 2.5" Drive Bays or 120mm Fan on the Side of the Cage.

Model	
Model Name	TAURUS 5000
Model Number	CSAZ-5000
SPECS	
Type	ATX Full Tower
Color	Black (exterior) / Black (interior), White (exterior) / Black(interior)
Side Panel	Transparent acrylic window with metal side panel
Max Cpu Cooler Height	Up to 180mm
Max Video Card Length	Up to 400mm
Motherboard Compatibility	Full ATX, Micro ATX
Expansion	
External 5.25" Drive Bays	3
Internal 2.5" Drive Bays	8
Internal 3.5" Drive Bays	8
Expansion slots	8
Front Ports	2 x USB 3.0, 2 x USB 2.0, HD Audio, Mic.
Features	
LED Light Effects	Side transparent acrylic window has RGB effects and controller
Available Fan Ports	2 x 120mm fan ports on top. (2 x 120mm White LED fan included)
	2 x 120mm fan ports in front. (2 x 120mm White LED fan included)
	1 x 120mm fan port in rear. (1 x 120mm black fan included)
Water Cooling	Supports radiators up to 120mm in the front Supports radiators up to 240mmmm on the top
Power Supply Support	Bottom mounted ATX Power Supply
Physical Specs	
Dimensions(HxWxD)	533mm x 210mm x 523mm / 21 x 8.3 x 20.6(inches)
Weight	10.2kg/ 22.5lb
Carton Size (H x W x D)	597x 286x 599mm / 23.5x11.3x23.6 (inches)





- Supports video cards up to 420mm in length.
- Supports PSUs up to 250mm in length.
- Four multifunctional brackets support 3.5" HDD or 2.5" SSD. (A B C D)





or



- Two brackets support 2.5" Devices. (E F)

Model	
Model Name	STORM 6000-RGB
Model Number	CSAZ-6000RGB/W/B
Specs	
Type	ATX Full Tower
Color	Black / White
Side Panel	Tempered glass side panel with EVA anti-vibration pad
Max CPU Cooler Height	Up to 175mm
Max VGA Card Length	Up to 420mm
Motherboard Compatibility	ATX, Full ATX, Micro ATX
Power Supply Locations	Rear Bottom
Expansion	
External 5.25" Drive Bays:	1
Internal 2.5" Drive Bays	Up to 6
Internal 3.5" Drive Bays	Up to 4
Expansion slots	10
Front Ports	2 x USB 3.0, 2 x USB 2.0, HD Audio, Mic.
Features	
Tempered Glass Sides Window	High-quality tempered glass side window allows for clear visuals to inner components
RGB light effects	All RGB light effects controlled by external button.
Available Fan Ports	120mm AZZA Hurricane RGB Lite fan x4 (2x120mm AZZA HURRICANE RGB LITE fan included)
	2 x 120mm/ 2 x 140mm fan ports on top.
	2 x 120mm/ 2 x 140mm fan ports in front.
	(2x120mm AZZA HURRICANE RGB LITE fan included)
	1 x 120mm / 1 x 140mm fan port in rear.
	(1 x 120mm black fan included)
Water Cooling	Supports radiators up to 280mm in the front
	Supports radiators up to 360mmmm on the top
Power Supply Support	Bottom mounted ATX Power Supply
Physical Specs	
Dimensions(HxWxD)	537.7x225x525mm / 21.2x8.9x20.7(inches)
Weight	11.1kg / 24.4lb
Carton Size (H x W x D)	640x335x646mm / 25.2x13.2x25.4(inches)



- ADJUSTABLE CABLE MANAGEMENT BAR.
- Supports video cards up to 390mm in length.
- PUMP BRACKET- compatible a 2.5"SSD or 3.5"HDD. ( A )
- ADJUSTABLE VGA HOLDER.



or



CABLE MANAGEMENT COVER.


- Two brackets support 3.5" HDD or 2.5" SSD. ( G B )
- Two multifunctional trays support 3.5" HDD or 2.5" SSD. ( D E )

Model	
Model Name	ZIRCON 7000
Model Number	CSAZ-7000
Specifications	
Type	ATX Full Tower
Color	Black/Black(interior), White/White(interior)
Side Panel Window	Tempered glass on both sides
Max CPU Cooler Height	UP to 165mm
Max video Card Length	Up to 390mm long video card (Horizontal/ Vertical)
Power Supply	Not Included
Motherboard Compatibility	EATX · ATX · Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 5
Internal 3.5" Drive Bays	Up to 5
Expansion slots	8(Horizontal)+2(Vertical)
Top Ports	Power button, Reset button, HD Audio, USB 3.0 x 2, Type C
Features	
Tempered Glass Sides Window	High-quality tempered glass side window allows for clear visuals to inner components
Addressable RGB Light Effects	Addressable RGB light I/O ports and strip on the front panel. All Addressable RGB light devices sync with the motherboard, allowing the motherboard software to directly control the lighting.
Available Fan Ports	3x120mm or 2x140mm Fan ports in the front
	3x120mm or 2x140mm Fan ports on the top
	1x120mm Fan port in the rear
	(Included fan: Front - 1 x Black fan · Rear - 1 x Black fan)
Water Cooling	Supports radiators up to 280/360mm in the front
	Supports radiators up to 280/360mm on the top
Dust filters	Removable (magnetic) dustproof net on the top and front, slide out dust filter on the bottom of chassis.
Power Supply Support	Bottom mounted ATX Power Supply
Physical Specifications	
Case Dimension (HxWxD)	515 x 233 x 515mm/20.3 x 9.2 x 20.3 inches
Weight	16.3kg /35.9lb


# APOLLO 430

## Mid Tower

# APOLLO 430




•Supports up to 370mm long video cards.



2.5"SSD brackets X2



or



•Two mounting holes support 2.5" devices.



•Two brackets support 2.5" devices.



•Two multifunctional trays support 3.5" HDD or 2.5" SSD.



Model	
Model Name	APOLLO 430
Model Number	CSAZ-430B-DF1 /CSAZ-430B-DF2 / CSAZ-430W-DF1 / CSAZ-430W-DF2
Specifications	
Type	ATX Mid Tower
Color	Black/Black(interior), White/White(interior)
Side Panel Window	Left side panel: Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max video Card Length	Up to 370mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX • Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 6
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Top Ports	Power button, reset button, HD Audio, USB 3.0 x 2
Features	
Tempered Glass Sides Window	High-quality tempered glass side window allows for clear visuals to inner components
Addressable RGB Light Effects	Addressable RGB light fan in the rear. All Addressable RGB light devices sync with the motherboard, allowing the motherboard software to directly control the lighting.
Available Fan Ports	3x120mm or 2x140mm fan ports in the front 2x120mm or 2x140mm fan ports on the top 1x120mm fan port in the rear <i>(1x120mm Hurricane II Addressable RGB Fan included for model CSAZ-430B-DF1 / CSAZ-430W-DF1)</i> <i>(1x120mm Addressable RGB Fan included for model CSAZ-430B-DF2 / CSAZ-430W-DF2)</i>
Water Cooling	Supports radiators up to 240mm in the front Supports radiators up to 240mm on the top
Dust filters	Removable (magnetic) dustproof net on the top and front, iron net on bottom of chassis.
Power Supply Support	Bottom mounted ATX Power Supply
Physical Specifications	
Case Dimension (HxWxD)	480x205x420mm/18.9x8.1x16.5 (inches)
Weight	7.9kg /17.4lb
Carton Size (H x W x D)	470x250x520mm / 18.5x9.8x20.5(inches)



CSAZ-420DF1




CSAZ-420LF




CSAZ-420F



CSAZ-420



•Supports up to 370mm long video cards.



2.5"SSD brackets X2




3.5"

or



2.5"



•Two mounting holes support 2.5" devices.



•Two brackets support 2.5" devices.



•Two multifunctional trays support 3.5" HDD or 2.5" SSD.




Model	
Model Name	RAVEN 420
Model Number	CSAZ-420DF1 /CSAZ-420LF/ CSAZ-420F / CSAZ-420
Specifications	
Type	ATX Mid Tower
Color	Black (exterior)/Black (interior)
Side Panel Window	Left side panel: Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max video Card Length	Up to 370mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX · Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 6
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Top Ports	Power button, reset button, HD Audio, USB 3.0 x 2
Features	
Tempered Glass Sides Window	High-quality tempered glass side window allows for clear visuals to inner components
Addressable RGB Light Effects(CSAZ-DF1 only)	Addressable RGB light fan in the rear. All Addressable RGB light devices sync with the motherboard, allowing the motherboard software to directly control the lighting.
Available Fan Ports	3x120mm or 2x140mm fan ports in the front 2x120mm or 2x140mm fan ports on the top 1x120mm Fan port in the rear
The available fan included	CSAZ-420DF1:Digital RGB fan CSAZ-420LF:LED Fan CSAZ-420F:Front - 1 x Black fan ; Rear - 1 x Black fan CSAZ-420 :Case only
Water Cooling	Supports radiators up to 240mm in the front Supports radiators up to 240mm on the top
Dust filters	Removable (magnetic) dustproof net on the top, iron net on bottom of chassis.
Power Supply Support	Bottom mounted ATX Power Supply
Physical Specifications	
Case Dimension (HxWxD)	480x205x425mm/ 18.9x8.1x16.7(inches)
Weight	6kg /13.2lb
Carton Size (H x W x D)	495x250x517mm / 19.5x9.8x20.4(inches)



# CHROMA 410A

## Mid Tower

# CHROMA 410A



or




- Supports up to 400mm long Video cards.
- Two mounting holes support 2.5" devices. (A B)
- Two brackets support 2.5" devices. (C D)
- Two multifunctional trays support 3.5" HDD or 2.5" SSD. (E F)

Model	
Model Name	CHROMA 410A
Model Number	CSAZ-410A
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel Window	Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 162mm
Max Video Card Length	Up to 400mm long Video card
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 6 (2 with metal tray)
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Top Ports	2xUSB3.0, 2xUSB2.0, HD Audio
Features	
Digital RGB Light Effects	Digital RGB Light on the front.
	All Digital RGB light devices controlled by RF Remote (included) or motherboard
Tempered Glass Side Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	3x120mm or 2x140mm fan ports in the front (2x120mm Black Fan Included)
	2x120mm fan ports on the top
	1x120mm fan port in the rear (1x120mm PRISMA-Digital RGB Square Fan included)
Dust Filters	Dustproof PVC Net x2 on bottom of chassis
Water Cooling	Supports radiators up to 240mm on top / 360mm in front
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specs	
Dimensions(HxWxD)	520x205x500mm / 20.5x8.1x19.7 ( inches)
Weight	6.82 kg / 15.0 lb
Carton Size (H x W x D)	570x295x572mm / 22.4 x 11.6 x 22.5 ( inches)

# CHROMA 410B

## Mid Tower




or



- Supports up to 400mm long Video cards.
- Two mounting holes support 2.5" devices. (A B)
- Two brackets support 2.5" devices. (C D)
- Two multifunctional trays support 3.5" HDD or 2.5" SSD. (E F)

# CHROMA 410B

Model	
Model Name	CHROMA 410B
Model Number	CSAZ-410B
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel Window	Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 162mm
Max Video Card Length	Up to 400mm long Video card
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 6 (2 with metal tray)
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Top Ports	2xUSB3.0,2xUSB2.0, HD Audio
Features	
Front Panel	Acrylic side translucent modeling
Digital RGB Light Effects	Digital RGB light on the front.
	All Digital RGB light devices controlled by RF Remote (included) or motherboard
Tempered Glass Side Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	3x120mm or 2x140mm fan ports in the front
	(2x120mm PRISMA-Digital RGB Square Fan included)
	2x120mm fan ports on the top
	1x120mm fan port in the rear
	(1x120mm Black Fan included)
Dust Filters	Dustproof PVC Net x2 on bottom of chassis
Water Cooling	Supports radiators up to 240mm on top / 360mm in front
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specs	
Dimensions(HxWxD)	520x205x500mm / 20.5x8.1x19.7 (inches)
Weight	6.82 kg / 15.0 lb
Carton Size (H x W x D)	570x295x572mm / 22.4 x 11.6 x 22.5 (inches)



■ Supports up to 370mm long video cards.



or



■ Supports 3.5" HDD x 3 ( F G H )


■ Supports 2.5" SSD x 5 ( A B C D E )

Model	
Model Name	OBSIDIAN 270
Model Number	CSAZ-270
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel	Tempered glass on top, front and side panel. Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max Video Card Length	Up to 370mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays	0
Internal 2.5" Drive Bays	Up to 5
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Top Ports	2xUSB3.0, 2xUSB2.0, HD Audio
Features	
Digital RGB Light Effects	Digital RGB light on the front. All digital RGB light devices controlled by RF Remote (included) or motherboard.
Tempered Glass Side Window	High-quality tempered glass side windows allow for clear visuals to inner components
Available Fan Ports	2x120mm Fan ports on the top 3x120mm or 2x140mm Fan ports in the front (3x12cm PRISMA- Digital RGB Fans included)
	1x120mm Fan port in the rear
Dust Filters	Dustproof PVC Net on bottom of chassis
Water Cooling	Supports radiators up 240mm on top/360mm in front
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler,eliminating the need to remove the motherboard
Accessories	Headphone Hanger, Anti-dust Plug, Digital RGB LED RF Remote
Physical Specifications	
Dimensions(HxWxD)	514x198x469mm / 20.3x7.8x18.5 (inches)
Weight	6.96kg / 15.4 lb
Carton Size (H x W x D)	525x 265x 567mm / 20.7 x 10.4 x 22.3 (inches)



- Two multifunctional brackets support 3.5" HDD or 2.5" SSD.
- Supports PSUs up to 190mm in length.

- Two 2.5" SSD or one 3.5" HDD can be installed on the MB side.
- Supports Video cards up to 380mm in length.





Model	
Model Name	TITAN 240
Model Number	CSAZ-240 / CSAZ-240X
SPECS	
Type	ATX Mid-Tower
Color	Black(exterior) / Black(interior)
Side Panel	Tempered glass side panel with EVA anti-vibration pad
Max CPU Cooler Height	Up to 155mm
Max Video Card Length	Up to 380mm long video card
Motherboard Compatibility	ATX, Full ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	2
Internal 2.5" Drive Bays	Up to 5
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Front Ports	
CSAZ-240	1 x USB 3.0, 3 x USB 2.0, HD Audio, Mic.
CSAZ-240X	2 x USB 3.0, 2 x USB 2.0, HD Audio, Mic.
Features	
LED Light Effects	A 120mm White Led fan
	White Led back light logo plate
Tempered Glass Side Window	High-quality tempered glass side windows allow for clear visuals to inner components
Available Fan Ports	2x120mm or 2x140mm fan ports in the front (1x12cm White LED fan included)
	2x120mm fan ports on the top
	1x120mm fan port in the rear (1x12cm Black fan included)
	2x120mm fan ports on the bottom
Water Cooling	Supports radiators up 240mm on top/240mm in front
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Physical Specs	
Dimensions(HxWxD)	510mm x 198mm x 450mm / 20 x 7.8 x 17.7 ( inches)
Weight	6.3kg/ 13.89 lb
Carton Size (H x W x D)	525mm x 265mm x 562mm/ 20.7 x 10.4 x 22.1( inches)





- Two multifunctional brackets support 3.5" HDD or 2.5" SSD.
- Supports PSUs up to 190mm in length.

- Two 2.5" SSD or one 3.5" HDD can be installed on the MB side.
- Supports Video cards up to 380mm in length.




Model	
Model Name	PHOTIOS 250
Model Number	CSAZ-250 / CSAZ-250X
SPECS	
Type	ATX Mid Tower
Color	Black (exterior) / Black (interior)
Side Panel	Tempered glass side panel with EVA anti-vibration pad
Max CPU Cooler Height	Up to 155mm
Max Video Card Length	Up to 380mm Long Video Card
Motherboard Compatibility	ATX, Full ATX, Micro ATX
Expansion	
External 5.25" Drive Bays	1
Internal 2.5" Drive Bays	Up to 5
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Front Ports	
CSAZ-250	1 x USB 3.0, 3 x USB 2.0, HD Audio, Mic.
CSAZ-250X	2 x USB 3.0, 2 x USB 2.0, HD Audio, Mic.
Features	
LED Light Effects	A 120mm Red Led fan and Red Led logo in the front
	White Led back light logo plate
Tempered Glass Side Window	High-quality tempered glass side windows allow for clear visuals to inner components
Available Fan Ports	2x120mm or 2x140mm fan ports in the front
	(1x12cm Red LED fan included)
	2x120mm fan ports on the top
	1x120mm fan port in the rear
	(1x12cm Black fan included)
	2x120mm fan ports on the bottom
Water Cooling	Supports radiators up 240mm on top/240mm in front
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Physical Specs	
Dimensions(HxWxD)	532mm x 198mm x 453mm / 20.9 x 7.8 x 17.8 ( inches)
Weight	6.3kg / 13.9lb
Carton Size (H x W x D)	525mm x 265mm x 582mm/ 20.7 x 10.4 x 22.9 ( inches)





- Two multifunctional brackets support 3.5" HDD or 2.5" SSD.
- Supports PSUs up to 190mm in length.

- Two 2.5" SSD or one 3.5" HDD can be installed on the MB side.
- Supports Video cards up to 380mm in length.



Model	
Model Name	ONYX 260
Model Number	CSAZ-260 / CSAZ-260X
SPECS	
Type	ATX Mid Tower
Color	Black (exterior) / Black (interior), White (exterior) / Black (interior)
Side Panel	Tempered glass side panel with EVA anti-vibration pad
Max CPU Cooler Height	Up to 155mm
Max Video Card Length	Up to 380mm long video card
Motherboard Compatibility	ATX, Full ATX, Micro ATX
Expansion	
External 5.25" Drive Bays	1
Internal 2.5" Drive Bays	Up to 5
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Front Ports	
CSAZ-260	1 x USB 3.0, 3 x USB 2.0, HD Audio, Mic.
CSAZ-260X	2 x USB 3.0, 2 x USB 2.0, HD Audio, Mic.
Features	
RGB Light Effects	External switch for RGB controller
	RGB light strip with magnet
	RGB back light logo plate
	Acrylic RGB light front panel
Tempered Glass Side Window	High-quality tempered glass side windows allow for clear visuals to inner components
Available Fan Ports	2x120mm or 2x140mm Fan ports in the front (1x12cm White LED fan included)
	1x120mm Fan port in the rear (1x12cm Black fan included)
	2x120mm Fan ports on the bottom
Water Cooling	Supports radiators up 240mm in front
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Physical Specs	
Dimensions(HxWxD)	473mm x 198mm x 447mm / 18.6 x 7.8 x 17.6 ( inches)
Weight	6.16kg / 13.6 lb
Carton Size (H x W x D)	525mm x 265mm x 524mm / 20.7 x 10.4 x 20.6 ( inches)



•Supports up to 340mm long video cards.



or




•Supports 3.5" HDD X3 (A B C)

•Supports 2.5" Devices X3 (D E F)

Model	
Model Name	ARC 241
Model Number	CSAZ-241 / CSAZ-241G
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel Window:CSAZ-241	Transparent acrylic with rubber mounts
Side Panel Window:CSAZ-241G	Transparent glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max VGA Card Length	Up to 340mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 3
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Top Ports	1 x USB 3.0, 1 x USB 2.0,HD Audio
Features	
Digital RGB Light Effects	Digital RGB light on the front
Left Side Panel	Transparent acrylic for CSAZ-231, tempered glass for CSAZ-231G
Available Fan Ports	2x120mm fan ports on the top
	2x120mm or 2x140mm fan ports in the front
	(1x120mm built-in automatic lighting mode digital RGB Fan included)
	1x120mm fan port in the rear
Dust Filters	Removable(Magnetic) dustproof net on the top and dustproof PVC Net on the bottom of chassis
Water Cooling	Supports radiators up to 240mm in front
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specs	
Dimensions(HxWxD)	480mmx197mmx427mm / 18.9 x7.8 x 16.8 inches
Weight:CSAZ-231	3.75kg / 8.3 lb
Weight:CSAZ-231G	4.8kg /10.6lb
Carton Size (H x W x D)	500 x 245 x 530mm/ 19.7 x 9.6 x 20.9 inches





•Supports up to 340mm long video cards.




or




•Supports 3.5" HDD X3 (A B C)

•Supports 2.5" Devices X3 (D E F)




Model	
Model Name	BLAZE 231
Model Number	CSAZ-231 / CSAZ-231G
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel Window:CSAZ-231	Transparent acrylic with rubber mounts
Side Panel Window:CSAZ-231G	Transparent glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max VGA Card Length	Up to 340mm long video card
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 3
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Top Ports	1 x USB 3.0, 1 x USB 2.0,HD Audio
Features	
RGB Light Effects	RGB light on the front. All RGB light devices controlled by motherboard
Left Side Panel	Transparent acrylic for CSAZ-231, tempered glass for CSAZ-231G
Available Fan Ports	2x120mm fan ports on the top
	2x120mm or 2x140mm fan ports in the front
	(2x120mm PRISMA-RGB Fan included)
	1x120mm fan port in the rear
Dust Filters	Removable(Magnetic) dustproof net on the top and dustproof PVC Net on the bottom of chassis
Water Cooling	Supports radiators up to 240mm in front
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specs	
Dimensions(HxWxD)	480x197x427mm / 18.9 x7.8 x 16.8 inches
Weight:CSAZ-231	3.75kg / 8.3 lb
Weight:CSAZ-231G	4.8kg /10.6lb
Carton Size (H x W x D)	500 x 245 x 530mm/ 19.7 x 9.6 x 20.9 inches





▪Supports up to 340mm long video cards.




or




▪Supports 3.5" HDD X3  
(A B C)

▪Supports 2.5" Devices X3  
(D E F)



Model	
Model Name	CRIMSON 211
Model Number	CSAZ-211
Specs	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel	Flat transparent side acrylic panel
Max CPU Cooler Height	Up to 155mm
Max VGA Card Length	Up to 340mm
Motherboard Compatibility	ATX, Micro ATX
Power Supply Locations	Rear bottom
Expansion	
External 5.25" Drive Bays:	1
Internal 2.5" Drive Bays	Up to 3
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Front Ports	1 x USB 3.0, 1 x USB 2.0,HD Audio, Mic.
Features	
LED Light Effects	Two 120mm Red Led fan in the front
Transparent Side Window	Hight-quality transparent side windows allow for clear visuals to inner components
Available Fan Ports	2x120mm or 2x140mm fan ports in the front (2x12cm Red LED fan included)
	2x120mm fan ports on the top
	1x120mm fan port in the rear
Dust Filters	Removable(Magnetic) dustproof net on the top and dustproof PVC Net on the bottom of chassis
Water Cooling	Supports radiators up 240mm on top
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Physical Specs	
Dimensions(HxWxD)	480x197x427mm / 18.9 x 7.8 x 16.8 inches
Weight	4.0kg / 9.0 lb
Carton Size (H x W x D)	500 x 245 x 530mm/ 19.7 x 9.6 x 20.9 inches



▪Supports up to 340mm long video cards.




or



▪Supports 3.5" HDD X3  
(A B C)

▪Supports 2.5" Devices X3  
(D E F)




Model	
Model Name	GOLEM 221
Model Number	CSAZ-221
Specs	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel	Flat transparent side acrylic panel
Max CPU Cooler Height	Up to 155mm
Max VGA Card Length	Up to 340mm
Motherboard Compatibility	ATX, Micro ATX
Power Supply Locations	Rear bottom
Expansion	
External 5.25" Drive Bays:	1
Internal 2.5" Drive Bays	Up to 3
Internal 3.5" Drive Bays	Up to 3
Expansion slots	7
Front Ports	1 x USB 3.0, 1 x USB 2.0,HD Audio, Mic.
Features	
LED Light Effects	Two 120mm Red Led fan and Red Led strip in the front
Transparent Side Window	Hight-quality transparent side windows allow for clear visuals to inner components
Available Fan Ports	2x120mm or 2x140mm fan ports in the front (2x12cm Red LED fan included)
	2x120mm fan ports on the top
	1x120mm fan port in the rear
Dust Filters	Removable(Magnetic) dustproof net on the top and dustproof PVC Net on the bottom of chassis
Water Cooling	Supports radiators up 240mm on top
Power Supply Support	Bottom mounted ATX Power Supply
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Physical Specs	
Dimensions(HxWxD)	480x197x427mm / 18.9 x 7.8 x 16.8 inches
Weight	4.0kg / 9.0 lb
Carton Size (H x W x D)	500 x 245 x 530mm/ 19.7 x 9.6 x 20.9 inches

# INFERNO 310DH

## Mid Tower



# INFERNO 310DH



•Supports up to 380mm long Video cards.



or



•Two mounting holes support 2.5" devices. (A B)

•Two brackets support 2.5" devices. (C D)

•Two multifunctional trays support 3.5" HDD or 2.5" SSD. (E F)


Model	
Model Name	INFERNO 310DH
Model Number	CSAZ-310DH
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel	Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max video Card Length	Supports up to 380mm long video cards
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	1
Internal 2.5" Drive Bays	Up to 6 (2 with metal tray)
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Features	
Digital RGB Light Effects	Digital RGB Light on Front, 2x120mm Digital RGB fans All Digital RGB light devices controlled by Digital RGB RF Remote
Tempered Glass Side Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	3x120mm or 2x140mm fan ports on the top 2x120mm or 2x140mm fan ports in the front (1x120mm AZZA Hurricane II Digital RGB Fan included)
	1x120mm fan port in the rear (1x120mm AZZA Hurricane II Digital RGB Fan included)
Dust filters	Dustproof PVC Net top and bottom of chassis
Water Cooling	Supports radiators up 360mm on top/280mm in front
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specifications	
Dimensions(HxWxD)	480x205x475mm / 18.9x8.1x18.7 (inches)
Weight	6.7 kg / 14.8 lb
Carton Size (HxWxD)	544x274x538mm /21.4x10.8x21.2 (inches)



# THOR 320DH

## Mid Tower

# THOR 320DH



•Supports up to 380mm long video cards.



or




•Two mounting holes support 2.5" devices.




•Two brackets support 2.5" devices.



•Two multifunctional trays support 3.5" HDD or 2.5" SSD.



Model	
Model Name	THOR 320DH
Model Number	CSAZ-320DH
Specifications	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel	Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 155mm
Max VGA Card Length	Supports up to 380mm long VGA card
Power Supply	Not included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays	Up to 6 (2 with metal tray)
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Features	
Digital RGB Light Effects	Digital RGB Light on Front and Top panels, 2x120mm Digital RGB fans All Digital RGB light devices controlled by Digital RGB RF Remote
Tempered Glass Side Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	3x120mm or 2x140mm fan ports on the top 3x120mm or 2x140mm fan ports in the front (1x120mm AZZA Hurricane II Digital RGB Fan included) 1x120mm Fan port in the rear (1x120mm AZZA Hurricane II Digital RGB Fan included)
Dust filters	Dustproof PVC Net on the front, top and bottom of chassis
Water Cooling	Supports radiator up 360mm on top/280mm in front
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specifications	
Dimensions(HxWxD)	538x205x465mm / 21.2x8.1x18.3 (inches)
Weight	8.01 kg / 17.7 lb
Carton Size (HxWxD)	537x272x605mm / 21.1x10.7x23.8 (inches)



•Supports up to 380mm long Video cards.



or





•Two mounting holes support 2.5" devices.  
(A B)

•Two brackets support 2.5" devices.  
(C D)

•Two multifunctional trays support  
3.5" HDD or 2.5" SSD.  
(E F)

Model	
Model Name	INFERNO 310
Model Number	CSAZ-310
Specs	
Type	ATX Mid-Tower
Color	Black (exterior)/Black (interior)
Side Panel	Tempered glass with rubber mounted
Max CPU Cooler Height	Up to 155mm
Max VGA Card Length	Up to 380mm
Motherboard Compatibility	ATX, Full ATX, Micro ATX
Power Supply Locations	Rear bottom
Expansion	
External 5.25" Drive Bays:	1
Internal 2.5" Drive Bays	Up to 6 (2 with metal tray)
Internal 3.5" Drive Bays	Up to 2
Expansion slots	7
Front Ports	2 x USB 3.0, HD Audio, Mic.
Features	
RGB Light Effects	2xHURRICANE RGB LITE fans, RGB logo plate, RGB front panel. All RGB light effects controlled by external button.
Tempered Glass Side Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	3x120mm or 2x140mm fan ports on the top
	2x120mm or 2x140mm fan ports in the front
	(2x120mm AZZA HURRICANE RGB LITE fan included)
	1x120mm fan port in the rear
	(1x120mm Black Fan included)
Dust filters	Dustproof PVC Net top and bottom of chassis
Water Cooling	Supports radiators up 360mm on top/280mm in front
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specs	
Dimensions(HxWxD)	480x205x475mm / 18.9x8.1x18.7 (inches)
Weight	6.7kg / 14.8lb
Carton Size (H x W x D)	544x274x538mm/ 21.4x10.8x21.2 (inches)



•Supports up to 380mm long video cards.



or




•Two mounting holes support 2.5" devices.  
(A B)

•Two brackets support 2.5" devices.  
(C D)

•Two multifunctional trays support 3.5" HDD or 2.5" SSD.  
(E F)

Model	
Model Name	Thor
Model Number	CSAZ-320
Specifications	
Type	ATX Mid Tower
Color	Black(exterior)/black(interior)
Side Panel Window	Tempered Glass With Rubber Mounts
Max CPU Cooler Height	Up to 155mm
Power Supply	Not Included
Motherboard Compatibility	ATX, Micro ATX
Expansion	
External 5.25" Drive Bays	0
Internal 2.5" Drive Bays	Up to 6
Internal 3.5" Drive Bays	Up to 2
Expansion Slots	7
Top Ports	2xUSB3.0, HD Audio
Cooling System	
Fans Installed	Front 1x120mm RGB fan, Rear 1x120mm RGB fan
Features	
RGB Light Effects	RGB logo plate, RGB Light on Front and Top panels, 2x120mm RGB fans All RGB light devices controlled by RF Remote
Max Video Card Length	Supports up to 380mm long video cards
Tempered Glass Side Window	High-quality tempered glass side window allows for clear visuals to inner components
Available Fan Ports	3x120mm or 2x140mm ports on the Top 3x120mm or 2x140mm ports in the front (1x120mm RGB Fan included) 1x120mm Fan port in the rear (1x120mm RGB Fan included)
Dust Filters	Removable (magnetic) dustproof nets on the top and front panels Iron net on bottom of Chassis
Water Cooling	Supports radiator up 360mm on top/280mm in front
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components
Easy Installation Cooler	A pre-cut hole for easy installation of CPU Cooler, eliminating the need to remove the motherboard
Physical Specifications	
Dimensions (HxWxD)	538x205x465mm / 21.2x8.1x18.3 inches
Weight:	8.01 kg / 17.7 lb
Carton Size (HxWxD)	537x272x605mm/ 21x10.6x23.8 inches





MAX 340/380mm VIDEO card



- 2x120mm Fan ports on the top of PSU chamber (For model CSAZ-330)
- Model CSAZ-330: Supports up to 380mm long video cards.
- Mode CSAZ-330S: Supports up to 340mm long video cards.





or




- Two mounting holes support 2.5" devices. (A B)
- Two multifunctional trays support 3.5" HDD or 2.5" SSD. (C D)


Model		
Model Name	IRIS 330	
Model Number	CSAZ-330	CSAZ-330S
Specifications		
Type	ATX Mid Tower	
Color	Black(exterior)/black(interior)	
Side Panel Window	Left side panel: Tempered glass with rubber mounts	
Max CPU Cooler Height	UP to 155mm	
Max Video Card Length	Up to 380mm long video card	Up to 340mm long video card
Power Supply	Not included	
Motherboard Compatibility	ATX	
Expansion		
External 5.25" Drive Bays	0	
Internal 2.5" Drive Bays	Up to 3	Up to 4
Internal 3.5" Drive Bays	Up to 2	
Expansion Slots	7	
Top Ports	Power button, Reset button, HD Audio, USB 3.0 x 1, USB2.0x2	
Features		
Tempered Glass Sides Window	High-quality tempered glass side window allows for clear visuals to inner components	
Addressable RGB Light Effects	Addressable RGB light strips on front panel, side port locations and controlled by Motherboard	
Available Fan Ports	3x120mm Fan ports in the front (2 x 120mm Digital RGB fan included)	3x120mm Fan ports in the front (2 x 120mm Digital RGB fan included)
	2x120mm Fan ports on the top	2x120mm Fan ports on the top
	1x120mm Fan port in the rear	1x120mm Fan port in the rear
	2x120mm Fan ports on the top of PSU chamber	
Water Cooling	Supports radiators up to 240/360mm in the Front	
Dust filters	Removable (magnetic) dustproof net on the top, iron net on bottom of chassis.	
Power Supply Support	Bottom mounted ATX Power Supply	
Physical Specifications		
Case Dimension (HxWxD)	447x216x440mm/17.6x8.5x17.3 inches	447x216x402mm/17.6x8.5x16 inches
Weight	5.49kg /12.1lbs	5.16kg /11.4lbs
Carton Size (H x W x D)	490x265x480mm/ 19.3 x 10.4x 18.9 inches	472x265x480mm/ 18.6 x 10.4x 18.9 inches



Model	
Model Name	Z 103
Model Number	CSAZ-103
SPECS	
Type	Mini-ITX Gaming Case
Color	Black/Black(inside chassis)
Side Panel Window	Yes
Max Video Card Length	Up to 280mm
With Power Supply	No
Motherboard Compatibility	Mini ITX
Power Supply Support	Front bottom mounted ATX Power Supply
Expansion	
External 5.25" Drive Bays	1
Internal 3.5" Drive Bays	2
Expansion slots	2
Front Ports	1x USB 3.0, 2xUSB 2.0, HD Audio
Cooling System	
120mm Fan	1x120mm LED fan on side
Physical Specs	
Dimensions(HxWxD)	342 x 112 x 440mm / 13.5x4.4x17.3 inches
Weight	3.63kg /8 lb
Carton Size (HxWxD)	378x156x502mm/ 14.9x6.1x19.8 inches



•Supports up to 290mm long video cards.



2.5"SSD brackets X2



or



•Two brackets support 2.5" devices.  
(A B)

•Two mounting holes support 2.5" devices.  
(C D)


•Two multifunctional trays support 3.5" HDD  
or 2.5" SSD.  
(E F)

Model	
Model Name	LUMINOUS 110
Model Number	CSAZ-110 / CSAZ-110F/CSAZ-110RF1/CSAZ-110ADF
Specifications	
Type	Micro ATX Mini Tower
Color	Black(exterior)/black(interior)
Side Panel Window	Left side panel: Tempered glass with rubber mounts
Max CPU Cooler Height	Up to 160mm
Max Video Card Length	Up to 290mm long video card
Power Supply	Not included
Motherboard Compatibility	Micro ATX
Expansion	
External 5.25" Drive Bays	0
Internal 2.5" Drive Bays	Up to 6
Internal 3.5" Drive Bays	Up to 2
Expansion Slots	4
Top Ports	Power button, LED button, HD Audio, USB 3.0 x 1, USB2.0x2
Features	
Tempered Glass Sides Window	High-quality tempered glass side window allows for clear visuals to inner components
RGB Light Effects	RGB AZZA logo on the front panel and controlled by the LED button on the top of front panel. 1x120mm RGB fan on the rear, controlled by the motherboard (CSAZ-110RF1 only). 1x120mm built-in automatic lighting mode digital RGB Fan on the rear (CSAZ-110ADF only)
Available Fan Ports	3x120mm Fan ports in the front 2x120mm mm Fan ports on the top 1x120mm Fan port in the rear (1 x 120mm Black Fan included for model CSAZ-110F only) (1 x 120mm RGB Fan included for model CSAZ-110RF1 only) (1 x 120mm Built-in automatic lighting mode digital RGB Fan included for model CSAZ-110ADF only)
Water Cooling	Supports radiators up to 240mm in the Front
Dust filters	Removable (magnetic) dustproof net on the top, iron net on bottom of chassis.
Power Supply Support	Bottom mounted ATX Power Supply
Physical Specifications	
Case Dimension (HxWxD)	397 x 209 x 435mm/15.6 x 8.2 x 17.1 inches
Weight	4.3kg /9.5lbs
Carton Size (H x W x D)	472 x 265 x 430mm/ 18.6 x 10.4 x 16.9 inches



# HURRICANE II




Model Name	Hurricane II Digital RGB
Model Number	FNAZ-12DRGB2-011 / FNAZ-12DRGB2-211 (Include RF Remote)
Rating Voltage	DC12V(Fan) 5V(LED)
Rated Current	Max: 216mA(Fan); Max:400mA(LED)
Fan Speed	1000-1800 RPM
Max.Air Pressure	1.79mmH2O
Max.Air Flow	43.06CFM
Max Noise Level	29.0dB(A)
Bearing Type	Hydro Bearing
Life Expectancy	100000 hrs,25℃
Connector	4PIN PWM
	5V,3pin WS2812B Addressable RGB Header: Male & Female
Fan Dimensions	120x120x25mm
Weight	0.15 kg
RF Remote Controller	 X1

※ Sync-compatible with all major+5V motherboard technologies,such as ASUS™ Aura, ASRock™ RGB Sync, MSI™ Mystic Light, and Gigabyte™ RGB Fusion.

# PRISMA



Model Name	Prisma Digital RGB
Model Number	FFAZ-12DRGB 011-(NO RF Remote)
Model Number	FFAZ-12DRGB 211-(Include RF Remote)
Rating Voltage	DC12V(Fan) DC5V(LED)
Rated Voltage	DC6.0-13.8V(Fan) DC4.5-5.3V(LED)
Start-up Voltage	DC6V(ON/OFF)(Fan)DC 4.5V(ON/OFF)(LED)
Rated Current	MAX:240mA(Fan) MAX:1080mA(LED)
Life Expectancy	40000 hrs,25℃
Bearing Type	Hydro Bearing
Fan Speed	800-1600RPM
Air Pressure	1.7mmH2O
Noise Level	31.0dB(A)
Max.Air Flow	52.1 CFM
Connector	4PIN PWM & Molex connector(Fan)
	5V,3pin WS2812B Addressable RGB Header: Male & Female
Fan Dimensions	120x120x33mm
Weight	0.16kg
RF Remote Controller	<input type="checkbox"/> FFAZ-12DRGB-011 <input type="checkbox"/>  FFAZ-12DRGB-211

※ Sync-compatible with all major+5V motherboard technologies,such as ASUS™ Aura, ASRock™ RGB Sync, MSI™ Mystic Light, and Gigabyte™ RGB Fusion.



Patented Design

- VORTEX AIR** (Taiwan Patent NO.M448889)  
To help improve cooling performance, our patented Shark Teeth design helps channel the air into a concentrated stream for more powerful air flow.
- SILENCE**  
Special patented grooves carved into the fan blades help reduce noise levels up to ten percent!
- SYNC RGB** (Taiwan Patent NO.M542168)  
By plugging the HURRICANE RGB fan into a RGB-compatible motherboard, lighting and fan speed can be controlled directly, without the need for additional hardware.
- CYLINDRICAL LIGHTNING** (Taiwan/China Patented applying)  
More light is better. With a frame made of acrylic material, the RGB lighting is spread all throughout the fan's frame, giving a clean, uniform look.

**LUMI AND SOFTWARE**  
Even without a RGB-compatible motherboard, controlling our fan is a breeze using our LUMI control box (sold separately), coupled with the LUMI mobile app for Android and iOS devices.


Model Name	HURRICANE RGB
Model Number	FNAZ-12RGB-B-011/FNAZ-12RGB-W-011
Rated Voltage	12V
Fan Speed	800-1800 RPM
Max. Air Pressure	1.79 mm-H2O
Max. Air Flow	56.12 CFM
Max. Noise Level	29.8 dB(A)
Bearing Type	Fluid Dynamic Bearing (FDB)
Life expectation	60,000 hrs,40℃
Connector	4-PIN PWM
	4-PIN RGB: Male & Female
Fan Dimension	120x120x25mm
Weight	200g
Color	16.8M color



Model	AC Input	200-240VAC, 4.5A, 47-53Hz					100-240VAC, 8.5A-4.5A, 47-63Hz					Total Max Output Power
	DC Output	+3.3V	+5V	+12V	-12V	+5VSB	+3.3V	+5V	+12V	-12V	+5VSB	
AD-Z550	Max. Output Current	20A	20A	41A	0.4A	2.5A	20A	20A	41A	0.4A	2.5A	550W
	Max.combined	100W		492W	4.8W	12.5W	100W		492W	4.8W	12.5W	

AZZA PSAZ-550W

# PSAZ 650W



Model	AC Input	200-240VAC, 5A, 47-53Hz					100-240VAC, 10A-5A, 47-63Hz					Total Max Output Power
	DC Output	+3.3V	+5V	+12V	-12V	+5VSB	+3.3V	+5V	+12V	-12V	+5VSB	
AD-Z650	Max. Output Current	20A	20A	48A	0.4A	2.5A	20A	20A	48A	0.4A	2.5A	650W
	Max.combined	100W		576W	4.8W	12.5W	100W		576W	4.8W	12.5W	

AZZA PSAZ-650W

# PSAZ 650W RGB











# PSAZ 650W RGB

AD-Z650 ( Digital RGB)						
AC Input	200-240VAC, 5A, 47-53Hz					Total
DC Output	+3.3V	+5V	+12V	-12V	+5VSB	Output Power
Max. Output Current	20A	20A	48A	0.4A	2.5A	650W
Max.combined Output power	100W		576W	4.8W	12.5W	

AD-Z650 ( Digital RGB)						
AC Input	100-240VAC, 10A-5A, 47-63Hz					Total
DC Output	+3.3V	+5V	+12V	-12V	+5VSB	Output Power
Max. Output Current	20A	20A	48A	0.4A	2.5A	650W
Max.combined Output power	100W		576W	4.8W	12.5W	

AZZA PSAZ-650W

## Connectors

					
Main Power Connector (20+4-Pin)	EPS/ATX 12V Connector (4+4-Pin)	PCI-E Connector (6+2-Pin)	SATA Connector (5-Pin)	Peripheral Connector (4-Pin)	Floppy Connector (4-Pin)
1	1	2	5	2	1

## Efficiency

