

# NOIR


## USER MANUAL

1. Specifications
2. Chassis Parts
3. Control Panel Functions
4. 3.5"HDD/ 2.5" SSD Installation
5. Cooling System Installation
6. Remove the Front Panel Instructions
7. RGB Lighting Switching
8. Fan Installation

# Specifications


Model	
Model Name:	NOIR
Model Number	CSAZ-130
Specifications	
Type:	Micro ATX Mid Tower
Color:	Black(exterior)/black(interior)
Side Panel Window:	Left side panel: tempered glass with rubber mounts
Max CPU Cooler Height:	UP to 165mm
Max GPU Length	Up to 330mm long video card
Power Supply Support:	Bottom mounted ATX Power Supply
Motherboard Compatibility:	Micro ATX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays:	Up to 6
Internal 3.5" Drive Bays:	Up to 2
Expansion Slots:	4
Top Ports:	Power button, LED button, HD Audio, USB 3.0 x 1, USB2.0x2
Physical Specifications	
Case Dimension (HxWxD)	397x215x404mm/15.6x8.5x16 inches
Weight:	4.3kg /9.5lbs
Features	
Outer Appearance:	High-quality tempered glass side window allows for clear visuals to inner components
Addressable RGB Light Effects:	All ARGB light devices sync with the motherboard, allowing the motherboard software or LED button to directly control the lighting.
Available Fan Ports:	3x120mm fan ports in the front (1 x 120mm LFO-3212D ARGB fan included) 2x120mm or 2x140mm fan ports on the top 1x120mm fan port in the rear(1 x 120mm LFO-3212D ARGB fan included)
Water Cooling:	Supports radiators up to 240mm in the front
Dust Filters	Removable (magnetic) dustproof net on the top, iron net on bottom of chassis.









## Chassis Parts




1	Front panel
2	Right side panel
3	Removable (magnetic) dustproof net
4	Left side tempered glass panel
5	Screws for side glass panel
6	Case feet
7	3.5"HDD brackets X2
8	2.5"SSD brackets X2

# Control Panel Functions




	Power button		Mic
	LED changes button		Audio
	Power Indicator		USB2.0
	Hard disk Indicator		USB3.0(Blue)

## 3.5"HDD/ 2.5" SSD Installation




- Supports up to 330mm long video cards.




2.5"SSD brackets X2




or




- Two brackets support 2.5" devices.  
(A B)
- Two mounting holes support 2.5" devices.  
(C D)
- Two multifunctional trays support 3.5" HDD or 2.5" SSD.  
(E F)



Multifunctional bracket.





Secure 2.5" SSD / HDD with screws.





Secure 3.5" HDD with screws.

# Cooling System Installation





# Cooling System Installation

Move HDD cage to install the fan on the front panel




Move HDD cage to install the Radiator and fan on the front panel






# Remove the Front Panel Instructions

---




## RGB Lighting Switching

---



- Press the LED button to cycle through different RGB lighting modes.

# Fan Installation



	CONNECTOR	CONNECTION
①	LED S/W (2pin)	LED Botton
②	ARGB LED 5V (3pin)	Motherboard: MSI™, ASUS™ and ASROCK™
③	ARGB LED 5V (VDG)	Motherboard: Gigabyte™
④	Fan Connector	1st fan connect to 2nd fan
⑤	SATA	Power Supply

- ※Press the LED button to cycle through different RGB lighting modes, controlled by the LED button.
- ※Hold the LED button for 3 seconds to switch the RGB control function between motherboard RGB software and LED button.

