

TIARA


USER MANUAL

1. Specifications
2. Chassis Parts
3. Control Panel Functions
4. 3.5"/2.5" HDD/SSD Installation
5. Remove the Glass Panel
6. Cooling System Installation
7. Fan Installation
8. RGB Lighting Switching
9. ARGB IC Board Installation
10. VGA Holder

Specifications


Model	
Model Name:	Tiara
Model Number:	CSAZ-501W, CSAZ-501B
Specifications	
Type:	ATX Mid Tower
Color:	White / Black
Side Panel Window:	Side panel: Tempered Glass
Max CPU Cooler Height:	UP to 170 mm
Max Video Card Length:	Up to 400 mm long video card Wide<155mm
Power Supply:	Not included
Motherboard Compatibility:	ATX(Back-connect supported) 、 Micro ATX 、 ITX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays:	Up to 4
Internal 3.5" Drive Bays:	Up to 2
Expansion Slots:	7
Top Ports:	Power button, LED button, Combo HD Audio, USB 3.0 x 2, Type C x1
Physical Dimension(HxWxD)	482x225x420mm/19x8.9x16.5 inches
Weight:	6.38kg / 14lbs
Features	
Addressable RGB Light Effects:	Addressable RGB devices connected to the ARGB&PWM control board can be controlled with the LED button or motherboard lighting software.
Available Fan Ports:	3x120mm on the mb side (3x120mm LFO-5612DR ARGB&PWM Fan included) 3x120mm or 2x140mm fan ports on the top 1x120mm fan port in the rear (1x120mm LFO-5612D ARGB&PWM Fan included) 3 x 120 mm fan ports on the PSU shroud
Water Cooling:	Supports radiators up to 240/280mm on the Side Supports radiators up to 280/360mm in the Top
Dust Filters:	Removable (magnetic) dustproof net on the top , dust filter on bottom of chassis.
Power Supply Support:	Bottom mounted ATX Power Supply
Accessories:	VGA Holder







Chassis Parts




1	Tempered glass panel
2	Metal side panel
3	Removable magnetic mesh
4	Hard disk cage
5	3.5"HDD/ 2.5"SSD brackets
6	2.5"SSD metal tray
7	Dust filter mesh
8	Chassis
9	VGA Holder

Control Panel Functions




	POWER		USB 3.0
	LED		USB 3.0
	Combo HD Audio		Type C


3.5 "/ 2.5" HDD/SSD Installation



- Up to 400 mm long video card , wide<155mm




or




- Multifunctional hard disk bracket supports 3.5" HDD x 1 or 2.5" SSD x1 (**A**)
- 2.5" SSD metal tray support 2.5"SSD x2 (**C**)
- Multifunctional hard disk cage supports 3.5" HDD x 1 or 2.5" SSD x 1(**B**)

Remove the glass panel




Top




120mm x3

or





140mm x2



Max Length of
Radiator
360mm




Rear




120mm x1

Side




120mm x3




Max Height of
Radiator
280mm

VGA Holder






※ Max Video Card Length: Up to 400mm long video card , Wide < 155mm

Fan Installation




120mm x1



120mm x3

■ 3x120mm fan ports
on the mb side



Fan Installation








3x120mm fan ports on the Power Supply Shroud

RGB Lighting Switching

- Press the LED button to cycle through different RGB lighting modes.



ARGB IC Board Installation



RGB control board and motherboard RGB lighting modes support the Power-off memory lighting effect function.